

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.50

Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day
	Porter	Sorts	Width	Description															
G083	5	7	22.4	GOV.B.TWILL		36"	130	121	327		39567	259	10247.85	9831.34	73.2	72.2	54031.50	146	210.57
				sacking (6) -->					327		39567		10247.85	9831.34	73.2	72.2	54031.50	146	210.57
				Grand Total :					327		39567		10247.85	9831.34	73.2	72.2	54031.50	146	210.57

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	0.00	- 0.00	0.00

16.00

Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day
	Porter	Sorts	Width	Description															
1994	9	8	72.0	HESS CLOTH		76"	170	160	2		320	357	114.24	200.68	38.7	39.1	826.67	4	57.12
2002	9	8	54.0	HESS CLOTH		58"	165	155	20		3100	268	830.80	1380.16	40.9	46.6	7573.33	32	51.93
2402	9	10	43.3	HESS CLOTH		52"	165	156	28		4368	249	1087.63	1436.74	51.5	52.6	8485.33	43	50.59
2512	9	10	47.3	HESS CLOTH		52"	165	154	5		770	268	206.36	287.70	48.8	50.5	1578.67	8	51.59
2512	9	10	47.3	HESS CLOTH		56"	165	154	19		2926	268	784.17	1049.70	50.8	50.5	5760.00	30	52.28
2987	11	9	54.0	HESS CLOTH		58"	165	156	4		624	311	194.06	311.42	42.4	44.9	1472.59	7	55.45
2990	11	9	44.0	HESS CLOTH		58"	165	155	15		2325	253	588.23	832.42	48.1	52.0	4838.52	23	51.15
2992	11	9	60.0	HESS CLOTH		67"	165	155	2		310	345	106.95	184.90	39.3	39.3	788.15	4	53.48
3023	11	10	48.0	HESS CLOTH		58"	165	154	3		462	289	133.52	186.04	48.8	48.8	946.67	5	53.41
3031	11	10	45.0	HESS CLOTH		52"	165	155	6		930	271	252.03	363.65	47.1	49.9	1973.33	10	50.41
3131	11	11	72.0	HESSIAN CL		76"	175	158	2		316	452	142.83	230.99	42.0	41.4	751.52	5	57.13
3203	11	12	72.0	HESS CLOTH		76"	175	160	10		1600	510	816.00	1433.44	38.7	38.7	4133.33	30	54.40
3267	11	12	36.0	HESS CLOTH		46"	165	155	20		3100	255	790.50	890.12	60.4	59.7	5133.33	30	52.70
5718	11	11	47.2	HESS CLOTH		58"	165	154	13		2002	298	596.60	837.09	48.5	50.4	4130.91	24	49.72
5805	8	6	72.0	HESS CLOTH		76"	170	156	15		2340	281	657.54	1316.33	34.0	36.1	6888.89	25	52.60
5806	8	6	35.0	HESS ROLL		46"	1150	1100	2		2200	136	299.20	348.14	58.4	60.7	3764.44	11	54.40
hessian (1) -->									166		27693		7600.66	11289.52	46.9	47.6	59045.68	291	52.24
Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day
Porter	Sorts	Width	Description																
0482	5	6.5	36.0	BAILING CL		52"	130	120	4		480	437	209.76	180.43	79.1	64.3	607.18	2	209.76
0483	5	6.5	42.0	BAILING CL		52"	130	120	14		1680	510	856.80	947.57	61.5	69.2	2732.31	9	190.40
0484	5	6.5	40.0	BAILING CL		46"	130	120	8		960	486	466.56	626.39	50.6	62.6	1895.38	6	155.52
0484	5	6.5	40.0	BAILING CL		52"	130	120	4		480	486	233.28	300.99	52.7	62.6	910.77	3	155.52
sacking on hessian loom (2) -->									30		3600		1766.40	2055.38	58.6	64.7	6145.64	20	176.64
Grand Total :									196		31293		9367.06	13344.90	48.0	51.0	65191.32	311	60.24

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.50

Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day	
	Porter	Sorts	Width	Description																
1948	9	7	44.0	HESS CLOTH	ML300	300"	165	155	66	2	10230	203	2076.69	1971.81	63.2	58.1	16189.00	31	200.97	
2300	9	9	44.0	HESS CLOTH	ML300	300"	165	155	65	2	10075	234	2357.55	2281.07	62.0	61.6	16247.00	40	176.82	
3150	11	11	54.0	HESS CLOTH	ML360	360"	165	159	20	2	3180	357	1135.26	1520.28	44.8	47.6	7096.00	23	148.08	
				hessian (1) -->							151		23485	5569.50	5773.16	59.4	55.8	39532.00	94	177.75
				Grand Total :							151		23485	5569.50	5773.16	59.4	55.8	39532.00	94	177.75

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.50

Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day
	Porter	Sorts	Width	Description															
G086	5	7	22.4	GOV.B.TWILL		36"	180	169	320		54080	259	14006.72	20970.02	82.4	82.4	65627.30	133	315.94
				sacking (6) -->					320		54080		14006.72	20970.02	82.4	82.4	65627.30	133	315.94
				Grand Total :					320		54080		14006.72	20970.02	82.4	82.4	65627.30	133	315.94

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.50

Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day
	Porter	Sorts	Width	Description															
G086	5	7	22.4	GOV.B.TWILL		36"	180	169	298		50362	259	13043.76	20654.68	77.9	83.3	64640.42	131	298.71
				sacking (6) -->					298		50362		13043.76	20654.68	77.9	83.3	64640.42	131	298.71
				Grand Total :					298		50362		13043.76	20654.68	77.9	83.3	64640.42	131	298.71

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.50

Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day
	Porter	Sorts	Width	Description															
G086	5	7	22.4	GOV.B.TWILL		36"	180	169	297		50193	259	12999.99	19551.00	82.0	81.7	61186.35	124	314.52
G389	8	8	26.5	A TYPE, L. TWILL(S4)		36"	180	169	101		17069	355	6059.50	13236.77	49.4	51.3	34540.68	70	259.69
				sacking (6) -->					398		67262		19059.49	32787.77	70.3	66.5	95727.03	194	294.73
				Grand Total :					398		67262		19059.49	32787.77	70.3	66.5	95727.03	194	294.73

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 24-APR-24

S4LOOM TRAINEE

Print Date : 26-APR-24 11:33 AM

HJM/FS/B&W/09

Page 7 of 9  
Wastage : 0.00

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.50

Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day
	Porter	Sorts	Width	Description															
G086	5	7	22.4	GOV.B.TWILL		36"	180	169	68		11492	259	2976.43	4414.74	83.2	81.3	13816.27	28	318.90
				sacking (6) -->					68		11492		2976.43	4414.74	83.2	81.3	13816.27	28	318.90
				Grand Total :					68		11492		2976.43	4414.74	83.2	81.3	13816.27	28	318.90

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 24-APR-24

SACKING WVG.

Print Date : 26-APR-24 11:33 AM

HJM/FS/B&W/09

Page 8 of 9  
Wastage : 0.00

Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.50

Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day
	Porter	Sorts	Width	Description															
G067	5	6.5	40.0	S.BALING C		46"	130	120	8		960	486	466.56	511.11	77.6	76.0	1237.26	4	349.92
				hessian (1) -->					8		960		466.56	511.11	77.6	76.0	1237.26	4	349.92
G083	5	7	22.4	GOV.B.TWILL		32"	130	126	82		10332	259	2675.99	4552.70	50.0	74.4	20680.00	66	121.64
G083	5	7	22.4	GOV.B.TWILL		36"	130	126	114		14364	259	3720.28	6329.77	50.0	74.4	28752.06	94	118.73
G443	8	9	26.5	L.TWILL		36"	130	123	120		14760	432	6376.32	6639.16	81.6	80.6	18080.49	76	251.70
G879	6	8	26.5	A.TWILL CLOTH		36"	130	123	633		77859	344	26783.50	30050.92	75.8	75.2	102773.33	384	209.25
				sacking (6) -->					949		117315		39556.09	47572.55	68.9	76.2	170285.88	620	191.40
				Grand Total :					957		118275		40022.65	48083.66	69.0	76.1	171523.14	624	192.42

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager



Shift	T/Hrs	L/Hrs	W/Hrs
A	8.00	- 0.00	8.00
B	8.00	- 0.00	8.00
C	7.50	- 0.00	7.50
			23.50

Qty Code	Quality Specifications				Loom Type	Reed Spac	Laid Length	Fin. Length	No of Cuts	NOC	Tot(act) Yards	Gms/ Yrds	Weight	Target Prods(Wt)	Effi%	Cumm. Effi%	Theoretical Yrds	No of Loom	Kgms/ Loom/Day		
	Porter	Sorts	Width	Description																	
G086	5	7	22.4	GOV.B.TWILL		36"	180	169	253		42757	259	11074.06	16555.28	82.5	83.9	51811.02	105	316.40		
G389	8	8	26.5	A TYPE, L. TWILL(S4)		36"	180	169	49		8281	355	2939.76	6618.38	47.9	46.9	17270.34	35	251.98		
									sacking (6) -->		302		51038		14013.82	23173.66	73.9	65.4	69081.36	140	300.30
									Grand Total :		302		51038		14013.82	23173.66	73.9	65.4	69081.36	140	300.30

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager