

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24
BROAD LOOM

04-MAY-24 12:16 PM

Page 1 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	165.00	- 0.00	165.00 533

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G083	5	7	22.4	GOV.B.TWILL	36"	130	121	7562	915002	259	236986	1281291.4	71.4	27120.68	3460	69.91
				sacking (6) -->				7562	915002		236986	1281291.4	71.4	27120.68	3460	8.74
				Grand Total :				7562	915002		236986	1281291.4	71.4	27120.68	3460	8.74

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24
HESSIAN WVG.

04-MAY-24 12:16 PM

Page 2 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	0.00	- 0.00	0.00

368

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/ Hour
1435	8	8	40	HESS CLOTH	46"	165	156	48	7437	184	1368	11550.0	64.4	360.00	45	30.40
1936	9	7	60	hess cloth	67"	165	155	8	1236	276	341	3293.3	37.5	104.00	13	26.23
	9	7	60	hess cloth	76"	165	154	5	770	276	213	1889.5	40.8	64.00	8	26.63
Quality Total -->								13	2006		554	5182.8	38.7	168.00	21	3.30
1948	9	7	44	HESS CLOTH	52"	165	155	1697	261362	203	53056	522651.4	50	14832.00	1854	28.62
	9	7	44	HESS CLOTH	56"	165	155	98	15076	203	3060	29622.8	50.9	864.00	108	28.33
Quality Total -->								1795	276438		56116	552274.2	50.1	15696.00	1962	3.58
1994	9	8	72	HESS CLOTH	76"	170	160	85	13586	357	4850	34926.7	38.9	1352.00	169	28.70
2002	9	8	54	HESS CLOTH	58"	165	159	487	75679	268	20282	167796.7	45.1	5672.00	709	28.61
	9	8	54	HESS CLOTH	67"	165	159	14	2169	268	581	4433.3	48.9	160.00	20	29.05
Quality Total -->								501	77848		20863	172230.0	45.2	5832.00	729	3.58
2115	9	8	47.3	HESS CLOTH	56"	165	157	12	1878	234	439	3840.0	48.9	128.00	16	27.44
	9	8	47.3	HESS CLOTH	58"	165	158	27	4225	234	989	8046.7	52.5	272.00	34	29.09
Quality Total -->								39	6103		1428	11886.7	51.3	400.00	50	3.57
2116	9	8	51.5	HESS CLOTH	58"	165	156	36	5564	255	1419	11596.7	48	392.00	49	28.96
2318	9	9	53	HESS CLOTH	58"	165	156	19	2964	282	836	5680.0	52.2	216.00	27	30.96
2385	9	10	45	HESS CLOTH	52"	165	154	11	1694	255	432	3157.3	53.7	128.00	16	27.00
	9	10	45	HESS CLOTH	56"	165	156	2	312	255	80	576.0	54.2	24.00	3	26.67
Quality Total -->								13	2006		512	3733.3	53.7	152.00	19	3.37
2402	9	10	43.3	HESS CLOTH	52"	165	157	138	21418	249	5333	41834.7	51.2	1696.00	212	25.16
2512	9	10	47.3	HESS CLOTH	52"	165	157	56	8627	268	2312	17168.0	50.3	696.00	87	26.57
	9	10	47.3	HESS CLOTH	56"	165	157	120	18473	268	4951	36288.0	50.9	1512.00	189	26.20
	9	10	47.3	HESS CLOTH	58"	165	157	36	5592	268	1499	11928.0	46.9	504.00	63	23.79
Quality Total -->								212	32692		8762	65384.0	50	2712.00	339	3.23
2985	11	9	52	HESS CLOTH	58"	165	158	57	8952	299	2677	18722.9	47.8	712.00	89	30.08
2987	11	9	54	HESS CLOTH	58"	165	158	125	19400	311	6033	45019.2	43.1	1712.00	214	28.19
	11	9	54	HESS CLOTH	67"	165	154	12	1848	311	575	3743.7	49.4	152.00	19	30.26
Quality Total -->								137	21248		6608	48762.9	43.6	1864.00	233	3.55
2989	11	9	56	HESS CL.	67"	165	157	36	5573	322	1795	12807.4	43.5	520.00	65	27.62
2990	11	9	44	HESS CLOTH	58"	165	157	218	33800	253	8551	67108.1	50.4	2552.00	319	26.81
2992	11	9	60	HESS CLOTH	67"	165	155	22	3390	345	1170	8078.5	42	328.00	41	28.54
2993	11	9	66	HESS CLOTH	76"	165	155	13	2015	380	766	4960.0	40.6	216.00	27	28.37
2994	11	9	72	HESS CLOTH	76"	165	158	8	1258	414	521	3306.7	38	144.00	18	28.94
3023	11	10	48	HESS CLOTH	58"	165	156	32	4972	289	1437	10224.0	48.6	432.00	54	26.61
3026	11	10	60	HESS CLOTH	67"	165	154	22	3388	361	1223	7802.7	43.4	352.00	44	27.80
3031	11	10	45	HESS CLOTH	52"	165	158	36	5633	271	1527	11445.3	49.2	464.00	58	26.33
3131	11	11	72	HESSIAN CL	76"	175	160	141	22460	452	10152	53958.8	41.6	2872.00	359	28.28
3194	11	12	39.4	HESS CLOTH	46"	165	154	6	924	279	258	1711.1	54	80.00	10	25.80
3203	11	12	72	HESS CLOTH	76"	175	160	77	12320	510	6283	31826.7	38.7	1848.00	231	27.20
3227	11	12	33	HESS CLOTH	46"	165	155	104	15941	234	3730	22073.3	72.2	1032.00	129	28.91
3234	11	12	44	HESS CLOTH	52"	165	152	37	5574	354	1973	11511.1	48.4	560.00	70	28.19

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24
 HESSIAN WVG.

04-MAY-24 12:16 PM

Page 3 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	0.00	- 0.00	0.00

368

Qlty Code	Quality	Port	Shot	Specifications	Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour	
3267		11	12	36	HESS CLOTH		46"	165	157	184	28475	255	7261	49793.3	57.2	2328.00	291	24.95	
3367		11	12	50	HESS CLOTH		58"	165	160	231	35709	354	12641	69737.8	51.2	3536.00	442	28.60	
3517		11	12	43.3	HESS CLOTH		52"	165	156	29	4524	307	1389	9866.7	45.9	480.00	60	23.15	
5133		9	9	58	HESS CLOTH		67"	165	154	21	3234	308	996	6699.3	48.3	272.00	34	29.29	
5718		11	11	47.2	HESS CLOTH		58"	165	154	167	25718	298	7664	49915.2	51.5	2320.00	290	26.43	
5805		8	6	72	HESS CLOTH		76"	170	160	206	32549	281	9146	90657.8	35.9	2632.00	329	27.80	
5806		8	6	35	HESS ROLL		46"	1150	1100	40	44000	136	5984	75631.1	58.2	1768.00	221	27.08	
				hessian (1) -->								4723			195793	48.6	56288.00	7036	3.48
Qlty Code	Quality	Port	Shot	Specifications	Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour	
0482		5	6.5	36	BAILING CL		52"	130	120	48	5760	437	2517	8804.1	65.4	232.00	29	86.79	
0483		5	6.5	42	BAILING CL		52"	130	120	263	31560	510	16096	48574.4	65	1280.00	160	100.60	
0484		5	6.5	40	BAILING CL		46"	130	120	140	16800	486	8165	27799.0	60.4	704.00	88	92.78	
		5	6.5	40	BAILING CL		52"	130	120	56	6720	486	3266	10625.7	63.2	280.00	35	93.31	
				Quality Total -->								196			11431	61.2	984.00	123	11.62
				-->								507			30044	63.5	2496.00	312	12.04
				Grand Total :								5230			830559	49.5	58784.00	7348	3.84

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24

MODERN LOOM

04-MAY-24 12:16 PM

Page 4 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	172.50	- 0.00	172.50

540.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour	
1948	9	7	44	HESS CLOTH	300"	165	162	1837	284767	203	57808	224296.0	127	7394.68	944	62.54	
1992	9	8	44	HESS CLOTH	300"	165	156	478	73963	218	16124	47980.0	154.2	2083.67	266	61.91	
2300	9	9	44	HESS CLOTH	300"	165	156	564	87459	234	20465	69455.0	125.9	2678.99	342	61.11	
3150	11	11	54	HESS CLOTH	360"	165	160	509	79167	357	28263	80091.0	98.8	4136.01	528	54.67	
			hessian (1) -->						3388	525356		122660	421822.0	124.5	16293.35	2080	7.53
Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour	
1948	9	7	44	HESS CLOTH	300"	165	155	141	21855	203	4437	18539.0	117.9	556.17	71	63.82	
3150	11	11	54	HESS CLOTH	360"	165	158	22	3476	357	1241	4154.0	83.7	195.83	25	50.70	
			sacking (6) -->						163	25331		5678	22693.0	111.6	752.00	96	7.55
Grand Total :								3551	550687		128338	444515.0	123.9	17045.35	2176	7.53	

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24
S4 IJMD

04-MAY-24 12:16 PM

Page 5 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	172.50	- 0.00	172.50
			540.5

Qlty Code	Quality Port	Shot	Specifications Width Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4 GOV.B.TWILL	36"	180	169	7204	1217476	259	315326	1476367.4	82.5	23437.33	2992	107.63
G389	8	8	26.5 A TYPE, L. TWILL(S4)	36"	180	169	145	24505	355	8699	55265.1	44.3	877.32	112	79.32
			sacking (6) -->				7349	1241981		324025	1531632.5	81.1	24314.65	3104	13.33
			Grand Total :				7349	1241981		324025	1531632.5	81.1	24314.65	3104	13.33

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24
S4 NEW SHED

04-MAY-24 12:16 PM

Page 6 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	165.00	- 0.00	165.00 533

Qlty Code	Quality Port	Shot	Specifications Width Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4 GOV.B.TWILL	36"	180	169	7225	1221025	259	316245	1468105.0	83.2	23306.17	2974	108.55
G389	8	8	26.5 A TYPE, L. TWILL(S4)	36"	180	169	125	21125	355	7499	47863.5	44.1	759.83	97	78.95
			sacking (6) -->				7350	1242150		323744	1515968.5	81.9	24066.00	3071	13.45
			Grand Total :				7350	1242150		323744	1515968.5	81.9	24066.00	3071	13.45

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24
S4LOOM

04-MAY-24 12:16 PM

Page 7 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	172.50	- 0.00	172.50
			540.5

Qlty Code	Quality Port	Shot	Specifications Width Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4 GOV.B.TWILL	36"	180	169	6897	1165593	259	301889	1423076.1	81.9	22591.33	2884	106.90
G389	8	8	26.5 A TYPE, L. TWILL(S4)	36"	180	169	2284	385996	355	137029	789007.9	48.9	12525.50	1599	87.52
			sacking (6) -->				9181	1551589		438918	2212084.0	70.1	35116.83	4483	12.50
			Grand Total :				9181	1551589		438918	2212084.0	70.1	35116.83	4483	12.50

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24
S4LOOM TRAINEE

04-MAY-24 12:16 PM

Page 8 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	172.50	- 0.00	172.50
			540.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	1541	260429	259	67451	319254.6	81.6	5068.17	647	106.47
				sacking (6) -->				1541	260429		67451	319254.6	81.6	5068.17	647	13.31
				Grand Total :				1541	260429		67451	319254.6	81.6	5068.17	647	13.31

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24
SACKING WVG.

04-MAY-24 12:16 PM

Page 9 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	75.00	- 0.00	75.00 443

Qlty Code	Quality	Port	Shot	Specifications	Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G067		5	6.5	40	S.BALING C		46"	130	120	225	27000	486	13122	35380.5	76.3	895.99	113	117.16
					hessian (1) -->					225	27000		13122	35380.5	76.3	895.99	113	14.65
G083		5	7	22.4	GOV.B.TWILL		32"	130	126	3541	446166	259	115557	652000.0	68.4	16299.99	2055	56.72
		5	7	22.4	GOV.B.TWILL		36"	130	126	7148	900648	259	233268	1189950.2	75.7	30474.33	3823	61.24
					Quality Total -->					10689	1346814		348825	1841950.2	73.1	46774.32	5878	7.46
G443		8	9	26.5	L.TWILL		36"	130	123	3921	482283	432	208346	598898.6	80.5	19719.83	2478	84.52
G879		6	8	26.5	A.TWILL CLOTH		36"	130	123	6609	812907	344	279640	1093168.2	74.4	31995.16	4084	69.92
					sacking (6) -->					21219	2642004		836811	3534017.0	74.8	98489.31	12440	8.50
					Grand Total :					21444	2669004		849933	3569397.5	74.8	99385.30	12553	8.55

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-APR-24 to 30-APR-24

SRIRAM S4LOOM

04-MAY-24 12:16 PM

Page 10 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	184.00	- 0.00	184.00
B	184.00	- 0.00	184.00
C	172.50	- 0.00	172.50
			540.5

Qlty Code	Quality Port	Shot	Specifications Width Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4 GOV.B.TWILL	36"	180	169	6756	1141764	259	295717	1363370.0	83.7	21643.51	2763	109.30
G389	8	8	26.5 A TYPE, L. TWILL(S4)	36"	180	169	443	74867	355	26578	158887.1	47.1	2522.33	322	84.30
			sacking (6) -->				7199	1216631		322295	1522257.1	79.9	24165.84	3085	13.34
			Grand Total :				7199	1216631		322295	1522257.1	79.9	24165.84	3085	13.34

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager