

Line No	Loom No	RS	Quality	Shots	Finish len	Shift : A		Shift : B		Shift : C	
						Prod	Effi	Prod	Effi	Prod	Effi
02	537	52.5	5917 8X6-39	6	150	18	51.48	10	28.6	0	0
	538	52.5	5917 8X6-39	6	150	20	57.2	22	62.92	0	0
	539	52.5	5929 8X8-44	8	150	20	76.27	20	76.27	0	0
	540	52.5	5917 8X6-39	6	150	14	40.04	21	60.06	0	0
	541	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	542	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	543	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	544	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	545	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	546	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	547	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	548	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	549	52.5	5917 8X6-39	6	150	10	28.6	0	0	0	0
	558	52.5	5917 8X6-39	6	150	11	31.46	0	0	0	0
	559	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	560	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	561	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	562	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	563	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	564	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
<b>Line Wise Total: Count : 20</b>						93	47.51	73	56.96	0	0
03	565	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	566	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	567	52.5	5929 8X8-44	8	150	11	41.95	6	22.88	0	0
	568	52.5	5929 8X8-44	8	150	12	45.76	14	53.39	0	0
	569	52.5	5917 8X6-39	6	150	16	45.76	19	54.34	0	0
	570	52.5	5929 8X8-44	8	150	13	49.58	13	49.58	0	0
	571	52.5	5929 8X8-44	8	150	1	3.81	13	49.58	0	0
	572	52.5	5929 8X8-44	8	150	1	3.81	12	45.76	0	0
	573	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	574	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	575	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	576	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	577	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	578	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	579	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	580	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	581	52.5	5929 8X8-44	8	150	12	45.76	0	0	0	0
	590	52.5	5929 8X8-44	8	150	6	22.88	0	0	0	0
	591	52.5	5917 8X6-39	6	150	7	20.02	8	22.88	0	0
	592	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	593	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	594	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	595	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	596	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	597	52.5	5917 8X6-39	6	150	0	0	17	48.62	0	0
	598	52.5	5917 8X6-39	6	150	0	0	18	51.48	0	0
	599	52.5	5929 8X8-44	8	150	9	34.32	13	49.58	0	0
	600	52.5	5917 8X6-39	6	150	17	48.62	14	40.04	0	0
	601	52.5	5922 11X12-38	12	124	12	56.75	10	47.29	0	0

Line No	Loom No	RS	Quality	Shots	Finish len	Shift : A		Shift : B		Shift : C	
						Prod	Effi	Prod	Effi	Prod	Effi
03	602	52.5	5922 11X12-38	12	124	12	56.75	11	52.02	0	0
	603	52.5	5917 8X6-39	6	150	21	60.06	12	34.32	0	0
	604	52.5	5917 8X6-39	6	150	21	60.06	18	51.48	0	0
	605	52.5	5917 8X6-39	6	150	0	0	18	51.48	0	0
	606	52.5	5917 8X6-39	6	150	0	0	3	8.58	0	0
	607	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	608	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
<b>Line Wise Total: Count : 36</b>						171	39.73	219	43.14	0	0
04	609	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	610	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	611	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	612	52.5	5917 8X6-39	6	150	8	22.88	24	68.64	0	0
	613	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	622	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	623	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	624	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	625	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	626	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	627	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	628	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	629	52.5	5922 11X12-38	12	124	0	0	5	23.64	0	0
	630	52.5	5922 11X12-38	12	124	0	0	8	37.83	0	0
	631	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	632	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	633	52.5	5922 11X12-38	12	124	12	56.75	3	14.19	0	0
	634	52.5	5922 11X12-38	12	124	13	61.47	4	18.92	0	0
	635	52.5	5922 11X12-38	12	124	5	23.64	10	47.29	0	0
	636	52.5	5922 11X12-38	12	124	8	37.83	7	33.1	0	0
	637	52.5	5922 11X12-38	12	124	11	52.02	15	70.93	0	0
	638	52.5	5931 11X11-36	11	150	12	62.92	8	41.95	0	0
	639	52.5	5922 11X12-38	12	124	10	47.29	3	14.19	0	0
	640	52.5	5922 11X12-38	12	124	12	56.75	4	18.92	0	0
	641	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	642	52.5	5922 11X12-38	12	124	0	0	0	0	0	0
	643	52.5	5922 11X12-38	12	124	9	42.56	3	14.19	0	0
	644	52.5	5922 11X12-38	12	124	11	52.02	7	33.1	0	0
	645	52.5	5922 11X12-38	12	124	9	42.56	0	0	0	0
	654	52.5	5929 8X8-44	8	150	13	49.58	0	0	0	0
	655	52.5	5922 11X12-38	12	124	8	37.83	4	18.92	0	0
	656	52.5	5929 8X8-44	8	150	12	45.76	9	34.32	0	0
<b>Line Wise Total: Count : 32</b>						153	46.12	114	32.68	0	0
05	657	52.5	5917 8X6-39	6	150	0	0	0	0	0	0
	658	52.5	5929 8X8-44	8	150	0	0	0	0	0	0
	659	52.5	5931 11X11-36	11	150	11	57.68	11	57.68	0	0
	660	52.5	5931 11X11-36	11	150	10	52.44	10	52.44	0	0
	661	52.5	5917 8X6-39	6	150	24	68.64	11	31.46	0	0
	662	52.5	5917 8X6-39	6	150	25	71.5	13	37.18	0	0
	663	52.5	5922 11X12-38	12	124	11	52.02	5	23.64	0	0
	664	52.5	5922 11X12-38	12	124	9	42.56	8	37.83	0	0
	665	46.5	5923 11X12-34	12	124	13	59.07	4	18.18	0	0

Line No	Loom No	RS	Quality	Shots	Finish len	Shift : A		Shift : B		Shift : C		
						Prod	Effi	Prod	Effi	Prod	Effi	
05	666	46.5	5923	11X12-34	12	124	14	63.62	4	18.18	0	0
	667	46.5	5923	11X12-34	12	124	9	40.9	11	49.98	0	0
	668	46.5	5923	11X12-34	12	124	11	49.98	4	18.18	0	0
	669	46.5	5923	11X12-34	12	124	13	59.07	3	13.63	0	0
	670	46.5	5923	11X12-34	12	124	12	54.53	3	13.63	0	0
	671	46.5	5923	11X12-34	12	124	0	0	3	13.63	0	0
	672	46.5	5923	11X12-34	12	124	0	0	9	40.9	0	0
	673	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	674	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	675	46.5	5923	11X12-34	12	124	9	40.9	5	22.72	0	0
	676	46.5	5923	11X12-34	12	124	11	49.98	4	18.18	0	0
	677	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	686	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	687	46.5	5923	11X12-34	12	124	9	40.9	16	72.7	0	0
	688	46.5	5923	11X12-34	12	124	10	45.44	13	59.07	0	0
	689	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	690	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	691	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	692	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	693	46.5	5923	11X12-34	12	124	12	54.53	10	45.44	0	0
	694	46.5	5923	11X12-34	12	124	10	45.44	11	49.98	0	0
	695	46.5	5923	11X12-34	12	124	10	45.44	4	18.18	0	0
	696	46.5	5923	11X12-34	12	124	8	36.35	5	22.72	0	0
	697	46.5	5923	11X12-34	12	124	12	54.53	11	49.98	0	0
	698	46.5	5923	11X12-34	12	124	10	45.44	5	22.72	0	0
	699	46.5	5923	11X12-34	12	124	14	63.62	8	36.35	0	0
	700	46.5	5923	11X12-34	12	124	14	63.62	11	49.98	0	0
<b>Line Wise Total: Count : 36</b>							291	52.43	202	34.41	0	
06	701	46.5	5923	11X12-34	12	124	13	59.07	5	22.72	0	0
	702	46.5	5923	11X12-34	12	124	12	54.53	4	18.18	0	0
	703	46.5	5923	11X12-34	12	124	11	49.98	4	18.18	0	0
	704	46.5	5923	11X12-34	12	124	9	40.9	6	27.26	0	0
	705	46.5	5926	5X7-29	7	123	0	0	19	49.96	0	0
	706	46.5	5926	5X7-29	7	123	0	0	16	42.07	0	0
	707	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	708	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	709	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	718	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	719	46.5	5923	11X12-34	12	124	11	49.98	16	72.7	0	0
	720	46.5	5923	11X12-34	12	124	13	59.07	12	54.53	0	0
	721	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	722	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	723	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	724	46.5	5923	11X12-34	12	124	0	0	0	0	0	0
	725	46.5	5923	11X12-34	12	124	12	54.53	11	49.98	0	0
	726	46.5	5923	11X12-34	12	124	13	59.07	13	59.07	0	0
	727	46.5	5923	11X12-34	12	124	7	31.81	10	45.44	0	0
	728	46.5	5923	11X12-34	12	124	7	31.81	4	18.18	0	0
	729	46.5	5923	11X12-34	12	124	11	49.98	4	18.18	0	0
	730	46.5	5923	11X12-34	12	124	12	54.53	9	40.9	0	0

Line No	Loom No	RS	Quality	Shots	Finish len	Shift : A		Shift : B		Shift : C			
						Prod	Effi	Prod	Effi	Prod	Effi		
06	731	46.5	5923	11X12-34	12	124	7	31.81	4	18.18	0	0	
	732	46.5	5923	11X12-34	12	124	7	31.81	11	49.98	0	0	
	733	46.5	5923	11X12-34	12	124	11	49.98	3	13.63	0	0	
	734	46.5	5923	11X12-34	12	124	11	49.98	11	49.98	0	0	
	735	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	736	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	737	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	738	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	739	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	740	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	741	46.5	5924	11X12-30	12	124	0	0	0	0	0	0	
<b>Line Wise Total: Count : 33</b>							167	47.43	162	37.17	0		
07	750	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	751	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	752	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	753	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	754	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	755	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	756	46.5	5923	11X12-34	12	124	0	0	0	0	0	0	
	757	46.5	5923	11X12-34	12	124	10	45.44	5	22.72	0	0	
	758	46.5	5923	11X12-34	12	124	10	45.44	6	27.26	0	0	
	759	46.5	5923	11X12-34	12	124	10	45.44	10	45.44	0	0	
	760	46.5	5923	11X12-34	12	124	14	63.62	6	27.26	0	0	
	761	46.5	5926	5X7-29	7	123	10	26.29	0	0	0	0	
	762	46.5	5926	5X7-29	7	123	11	28.92	4	10.52	0	0	
<b>Line Wise Total: Count : 13</b>							65	42.53	31	26.64	0		
08	764	46.5	5926	5X7-29	7	123	0	0	0	0	0	0	
	765	46.05	5927	5X7-42	7	123	14	-1.28	0	0	0	0	
	766	46.05	5927	5X7-42	7	123	15	-1.37	0	0	0	0	
	767	46.5	5926	5X7-29	7	123	14	36.81	5	13.15	0	0	
	768	46.5	5926	5X7-29	7	123	16	42.07	15	39.44	0	0	
	787	46.5	5926	5X7-29	7	123	32	84.14	10	26.29	0	0	
	788	46.5	5926	5X7-29	7	123	2	5.26	12	31.55	0	0	
	789	46.5	5926	5X7-29	7	123	0	0	27	70.99	0	0	
	790	46.5	5926	5X7-29	7	123	18	47.33	25	65.73	0	0	
	791	46.5	5926	5X7-29	7	123	5	13.15	7	18.4	0	0	
	792	46.5	5926	5X7-29	7	123	2	5.26	25	65.73	0	0	
	793	46.5	5926	5X7-29	7	123	17	44.7	25	65.73	0	0	
	794	46.5	5926	5X7-29	7	123	14	36.81	23	60.47	0	0	
	795	46.5	5926	5X7-29	7	123	7	18.4	18	47.33	0	0	
	796	46.5	5926	5X7-29	7	123	12	31.55	15	39.44	0	0	
<b>Line Wise Total: Count : 15</b>							168	33.23	207	45.35	0		
<b>Grand Total:</b>													
<b>Count : 185</b>							1108	44.14	1008	39.48	0		