

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 28-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

| Sect | Shift | Line | Mac No | Reed Sp | Quality | Prodn | Eff Lb No. |
|------|-------|------|----------------------|-----------|-----------------------------|--------------|--------------|
| 33 | A | 1 | S-LOOM/009 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 64.14 |
| | | | S-LOOM/010 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 |
| | | | S-LOOM/011 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 74.01 |
| | | | S-LOOM/016 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 86.35 |
| | | | S-LOOM/017 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 61.68 |
| | | | S-LOOM/018 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 74.01 |
| | | | S-LOOM/037 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 83.88 |
| | | | S-LOOM/038 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 81.41 |
| | | | S-LOOM/039 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 83.88 |
| | | | S-LOOM/040 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 88.81 |
| | | | S-LOOM/041 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/042 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/043 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/044 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/045 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 76.48 |
| | | | S-LOOM/046 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 |
| | | | S-LOOM/047 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 81.41 |
| | | | S-LOOM/048 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 83.88 |
| | | | S-LOOM/071 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1 | 63.16 |
| | | | S-LOOM/072 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 61.68 |
| | | | S-LOOM/073 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 71.54 |
| | | | S-LOOM/074 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 69.08 |
| | | | S-LOOM/075 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 69.08 |
| | | | S-LOOM/076 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.02 | 71.05 |
| | | | S-LOOM/077 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/078 | 37 | 24 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 60.23 |
| | | | S-LOOM/101 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 86.35 |
| | | | S-LOOM/102 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 74.01 |
| | | | S-LOOM/103 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/104 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | 1 Line Total: | 30 | | 55.75 | 75.61 |
| 10 | | | S-LOOM/401 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/402 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/403 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/404 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.04 | 50.85 |
| | | | S-LOOM/405 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/406 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/407 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/408 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/409 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/410 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/411 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/412 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/413 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/414 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/415 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/418 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/419 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/422 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/423 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.07 | 58.48 |
| | | | S-LOOM/426 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 28-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

| Sect | Shift | Line | Mac No | Reed Sp | Quality | Prodn | Eff Lb No. |
|------|-------|------|-----------------------|-----------|-----------------------------|--------------|--------------|
| 33 | A | 10 | 10 Line Total: | 20 | | 37.13 | 75.52 |
| | | 11 | S-LOOM/224 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/235 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/449 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/450 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/457 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/458 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/459 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/460 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/461 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/462 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/469 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/471 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/474 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | 11 Line Total: | 13 | | 27.13 | 84.89 |
| 4 | | | S-LOOM/100 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/105 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/106 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/107 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/126 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/127 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/128 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/129 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/130 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/131 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/132 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/133 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/134 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/135 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/154 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.07 | 58.48 |
| | | | S-LOOM/155 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/156 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/157 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/158 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/159 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/160 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/161 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/162 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/179 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/180 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | 4 Line Total: | 25 | | 47.88 | 77.91 |
| 8 | | | S-LOOM/181 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/182 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/183 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/184 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 63.57 |
| | | | S-LOOM/185 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/186 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/196 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/197 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/198 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/199 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 28-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

| Sect | Shift | Line | Mac No | Reed Sp | Quality | Prodn | Eff Lb No. |
|----------------------|-------|------|------------|---------|-----------------------------|--------------|------------|
| 33 | A | 8 | S-LOOM/200 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/201 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/202 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/203 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 63.57 |
| | | | S-LOOM/204 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/205 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/225 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/226 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/233 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/234 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/441 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/442 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.06 | 55.94 |
| | | | S-LOOM/483 | 52 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 95.21 |
| 8 Line Total: | | | 23 | | 42.81 | 76.11 | |
| 9 | | | S-LOOM/381 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/382 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.04 | 50.85 |
| | | | S-LOOM/383 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/384 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/385 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/386 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/387 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/388 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/389 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/390 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/391 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/392 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/393 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/394 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/395 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/396 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/397 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/398 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/399 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 63.57 |
| | | | S-LOOM/400 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.06 | 55.94 |
| | | | S-LOOM/433 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/434 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/435 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/436 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/443 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/444 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/445 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/446 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/447 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1 | 65.09 |
| | | | S-LOOM/448 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.04 | 81.37 |
| | | | S-LOOM/475 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/476 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| 9 Line Total: | | | 32 | | 57.44 | 74.74 | |
| A Shift Total: | | | 143 | | 268 | 76.73 | |
| B | 1 | | S-LOOM/009 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 61.68 |
| | | | S-LOOM/010 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 69.08 |
| | | | S-LOOM/011 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 71.54 |

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 28-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

| Sect | Shift | Line | Mac No | Reed Sp | Quality | Prodn | Eff Lb No. | | | |
|-----------------------|-------|-----------------------------|----------------------|---------|-----------------------------|--------------|------------|-----------------------------|--------------|-------|
| 33 | B | 1 | S-LOOM/016 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 74.01 | | | |
| | | | S-LOOM/017 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 | | | |
| | | | S-LOOM/018 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 | | | |
| | | | S-LOOM/037 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 86.35 | | | |
| | | | S-LOOM/038 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 83.88 | | | |
| | | | S-LOOM/039 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 | | | |
| | | | S-LOOM/040 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 83.88 | | | |
| | | | S-LOOM/041 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 | | | |
| | | | S-LOOM/042 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 | | | |
| | | | S-LOOM/043 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 | | | |
| | | | S-LOOM/044 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 | | | |
| | | | S-LOOM/045 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 | | | |
| | | | S-LOOM/046 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 76.48 | | | |
| | | | S-LOOM/047 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 76.48 | | | |
| | | | S-LOOM/048 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 81.41 | | | |
| | | | S-LOOM/071 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | .09 | 59.21 | | | |
| | | | S-LOOM/072 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | .13 | 85.52 | | | |
| | | | S-LOOM/073 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 83.88 | | | |
| | | | S-LOOM/074 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 66.61 | | | |
| | | | S-LOOM/075 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 | | | |
| | | | S-LOOM/076 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 81.41 | | | |
| | | | S-LOOM/077 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 | | | |
| | | | S-LOOM/078 | 37 | 24 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 77.80 | | | |
| | | | S-LOOM/101 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 | | | |
| | | | S-LOOM/102 | 32 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 78.95 | | | |
| | | | S-LOOM/103 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 | | | |
| | | | S-LOOM/104 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 | | | |
| | | | 1 Line Total: | | | 30 | | 56.06 | 77.37 | |
| | | | 10 | | | S-LOOM/401 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.01 | 69.16 |
| | | | | | | S-LOOM/402 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| S-LOOM/403 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.14 | 76.28 | | | |
| S-LOOM/404 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.01 | 69.16 | | | |
| S-LOOM/405 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.15 | 78.82 | | | |
| S-LOOM/406 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.14 | 76.28 | | | |
| S-LOOM/407 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.11 | 68.65 | | | |
| S-LOOM/408 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.14 | 76.28 | | | |
| S-LOOM/409 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1 | 40.68 | | | |
| S-LOOM/410 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.12 | 71.20 | | | |
| S-LOOM/411 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.1 | 66.11 | | | |
| S-LOOM/412 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.15 | 78.82 | | | |
| S-LOOM/413 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.13 | 73.74 | | | |
| S-LOOM/414 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.13 | 73.74 | | | |
| S-LOOM/415 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 2.01 | 83.91 | | | |
| S-LOOM/418 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 2 | 81.37 | | | |
| S-LOOM/419 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.12 | 71.20 | | | |
| S-LOOM/422 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 2.01 | 83.91 | | | |
| S-LOOM/423 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.12 | 71.20 | | | |
| S-LOOM/426 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | | | | 1.14 | 76.28 | | | |
| 10 Line Total: | | | 20 | | 34.63 | 73.03 | | | | |
| 11 | | | S-LOOM/224 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 | | | |
| | | | S-LOOM/235 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 | | | |

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 28-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

| Sect | Shift | Line | Mac No | Reed Sp | Quality | Prodn | Eff Lb No. |
|-----------------------|-------|------|------------|---------|-----------------------------|--------------|------------|
| 33 | B | 11 | S-LOOM/449 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/450 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/457 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.07 | 58.48 |
| | | | S-LOOM/458 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/459 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/460 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/461 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/462 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/469 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/471 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/474 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| 11 Line Total: | | | 13 | | 26.19 | 81.95 | |
| 4 | | | S-LOOM/100 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/105 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/106 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/107 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/126 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/127 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/128 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/129 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/130 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/131 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/132 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/133 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/134 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/135 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/154 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/155 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/156 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/157 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/158 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/159 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/160 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/161 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/162 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/179 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| | | | S-LOOM/180 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| 4 Line Total: | | | 25 | | 49.25 | 80.15 | |
| 8 | | | S-LOOM/181 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/182 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/183 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/184 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/185 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/186 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/197 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/198 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.08 | 61.03 |
| | | | S-LOOM/199 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/200 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/201 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/202 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.09 | 63.57 |
| | | | S-LOOM/203 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 28-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

| Sect | Shift | Line | Mac No | Reed Sp | Quality | Prodn | Eff Lb No. |
|----------------------|-------|-----------------------------|------------|---------|-----------------------------|--------------|------------|
| 33 | B | 8 | S-LOOM/204 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/225 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/226 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/233 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/234 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/441 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/442 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/483 | 52 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 89.61 |
| 8 Line Total: | | | 21 | | 39.69 | 77.28 | |
| 9 | | | S-LOOM/381 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/382 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/383 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/384 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/385 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/386 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/387 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.07 | 58.48 |
| | | | S-LOOM/388 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.06 | 55.94 |
| | | | S-LOOM/389 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/390 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/391 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/392 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/393 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/394 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.12 | 71.20 |
| | | | S-LOOM/395 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/396 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 |
| | | | S-LOOM/397 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/398 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.13 | 73.74 |
| | | | S-LOOM/399 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.15 | 78.82 |
| | | | S-LOOM/400 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/433 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 |
| | | | S-LOOM/434 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.14 | 76.28 |
| | | | S-LOOM/435 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/436 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.04 | 91.54 |
| | | | S-LOOM/443 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.03 | 88.99 |
| | | | S-LOOM/444 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2 | 81.37 |
| | | | S-LOOM/445 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.11 | 68.65 |
| | | | S-LOOM/446 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.01 | 83.91 |
| S-LOOM/475 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 1.1 | 66.11 | | | |
| S-LOOM/476 | 37 | 33 5 X 7 - 22.5" / 9.14 OZS | 2.02 | 86.45 | | | |
| 9 Line Total: | | | 30 | | 56.75 | 76.96 | |
| B Shift Total: | | | 139 | | 263 | 77.57 | |
| 33 Section Total: | | | 282 | | 530.69 | 77.14 | |