

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 25-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

Sect	Shift	Line	Mac No	Reed Sp	Quality	Prodn	Eff Lb No.
33	A	1	S-LOOM/009	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/010	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41
			S-LOOM/011	32	33 5 X 7 - 22.5" / 9.14 OZS	1.14	74.01
			S-LOOM/016	32	33 5 X 7 - 22.5" / 9.14 OZS	1.12	69.08
			S-LOOM/017	32	33 5 X 7 - 22.5" / 9.14 OZS	1.15	76.48
			S-LOOM/018	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41
			S-LOOM/037	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/038	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/039	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41
			S-LOOM/040	32	33 5 X 7 - 22.5" / 9.14 OZS	2.04	88.81
			S-LOOM/041	37	33 5 X 7 - 22.5" / 9.14 OZS	2.04	91.54
			S-LOOM/042	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/043	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/044	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/045	32	33 5 X 7 - 22.5" / 9.14 OZS	2.03	86.35
			S-LOOM/046	32	33 5 X 7 - 22.5" / 9.14 OZS	2.04	88.81
			S-LOOM/069	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41
			S-LOOM/070	32	33 5 X 7 - 22.5" / 9.14 OZS	1.11	66.61
			S-LOOM/071	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/073	32	33 5 X 7 - 22.5" / 9.14 OZS	1.14	74.01
			S-LOOM/074	32	33 5 X 7 - 22.5" / 9.14 OZS	1.11	66.61
			S-LOOM/076	32	33 5 X 7 - 22.5" / 9.14 OZS	1.09	61.68
			S-LOOM/077	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/078	37	24 5 X 7 - 22.5" / 9.14 OZS	1.12	70.27
			S-LOOM/101	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/102	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/103	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/104	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			1 Line Total:	28		55.13	78.36
10			S-LOOM/401	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/402	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/403	37	33 5 X 7 - 22.5" / 9.14 OZS	1.09	63.57
			S-LOOM/404	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/405	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/406	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/407	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/408	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/409	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/410	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/411	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/412	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/413	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/414	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/415	37	33 5 X 7 - 22.5" / 9.14 OZS	1.132	74.25
			S-LOOM/418	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/423	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/426	37	33 5 X 7 - 22.5" / 9.14 OZS	1.09	63.57
			10 Line Total:	18		32.31	73.06
11			S-LOOM/224	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/235	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/449	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 25-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

Sect	Shift	Line	Mac No	Reed Sp	Quality	Prodn	Eff Lb No.
33	A	11	S-LOOM/450	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/457	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/458	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/459	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/460	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/461	37	33 5 X 7 - 22.5" / 9.14 OZS	1	65.09
			S-LOOM/462	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/463	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/469	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/471	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/474	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			11 Line Total:	14		26.63	79.11
4			S-LOOM/100	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/105	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/106	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/107	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/126	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/127	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/128	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/129	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/130	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/131	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/132	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/133	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/134	37	33 5 X 7 - 22.5" / 9.14 OZS	1.08	61.03
			S-LOOM/135	37	33 5 X 7 - 22.5" / 9.14 OZS	1.09	63.57
			S-LOOM/154	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/155	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/156	37	33 5 X 7 - 22.5" / 9.14 OZS	1.07	58.48
			S-LOOM/157	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/158	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/159	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/160	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/161	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/162	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/179	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/180	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			4 Line Total:	25		46.38	75.47
8			S-LOOM/181	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/182	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/183	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/184	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/185	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/186	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/196	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/197	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/198	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/199	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/200	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/201	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/202	37	33 5 X 7 - 22.5" / 9.14 OZS	1.09	63.57

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 25-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

Sect	Shift	Line	Mac No	Reed Sp	Quality	Prodn	Eff Lb No.
33	A	8	S-LOOM/203	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/204	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/205	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/225	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/226	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/233	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/234	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/441	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/442	37	33 5 X 7 - 22.5" / 9.14 OZS	1.05	53.40
			S-LOOM/483	52	33 5 X 7 - 22.5" / 9.14 OZS	1.11	75.61
			8 Line Total:	23		42.56	75.59
		9	S-LOOM/381	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/382	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/383	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/384	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/385	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/386	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/387	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/388	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/389	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/390	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/391	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/392	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/393	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/394	37	33 5 X 7 - 22.5" / 9.14 OZS	2.04	91.54
			S-LOOM/396	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/397	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/398	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/399	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/400	37	33 5 X 7 - 22.5" / 9.14 OZS	.15	61.03
			S-LOOM/435	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/436	37	33 5 X 7 - 22.5" / 9.14 OZS	1.08	61.03
			S-LOOM/443	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/444	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/445	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/446	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/447	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/448	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/475	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/476	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			9 Line Total:	29		54.19	76.81
			A Shift Total:	137		257	76.42
B		1	S-LOOM/009	32	33 5 X 7 - 22.5" / 9.14 OZS	1.12	69.08
			S-LOOM/010	32	33 5 X 7 - 22.5" / 9.14 OZS	1.06	54.27
			S-LOOM/011	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/016	32	33 5 X 7 - 22.5" / 9.14 OZS	2.03	86.35
			S-LOOM/017	32	33 5 X 7 - 22.5" / 9.14 OZS	2	78.95
			S-LOOM/018	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41
			S-LOOM/037	32	33 5 X 7 - 22.5" / 9.14 OZS	1.13	71.54
			S-LOOM/038	32	33 5 X 7 - 22.5" / 9.14 OZS	2.03	86.35
			S-LOOM/039	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 25-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

Sect	Shift	Line	Mac No	Reed Sp	Quality	Prodn	Eff Lb No.		
33	B	1	S-LOOM/040	32	33 5 X 7 - 22.5" / 9.14 OZS	2.02	83.88		
			S-LOOM/041	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65		
			S-LOOM/042	37	33 5 X 7 - 22.5" / 9.14 OZS	1.08	61.03		
			S-LOOM/043	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28		
			S-LOOM/044	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28		
			S-LOOM/045	32	33 5 X 7 - 22.5" / 9.14 OZS	2.04	88.81		
			S-LOOM/046	32	33 5 X 7 - 22.5" / 9.14 OZS	1.13	71.54		
			S-LOOM/069	32	33 5 X 7 - 22.5" / 9.14 OZS	2.02	83.88		
			S-LOOM/070	32	33 5 X 7 - 22.5" / 9.14 OZS	2.01	81.41		
			S-LOOM/073	32	33 5 X 7 - 22.5" / 9.14 OZS	1.15	76.48		
			S-LOOM/074	32	33 5 X 7 - 22.5" / 9.14 OZS	1.13	71.54		
			S-LOOM/077	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45		
			S-LOOM/078	37	24 5 X 7 - 22.5" / 9.14 OZS	1.11	67.76		
			S-LOOM/101	32	33 5 X 7 - 22.5" / 9.14 OZS	2.03	86.35		
			S-LOOM/102	32	33 5 X 7 - 22.5" / 9.14 OZS	1.14	74.01		
			S-LOOM/103	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37		
			S-LOOM/104	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37		
			1 Line Total:			26		50.38	77.13
			10			S-LOOM/401	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14
S-LOOM/402	37	33 5 X 7 - 22.5" / 9.14 OZS				2.03	88.99		
S-LOOM/403	37	33 5 X 7 - 22.5" / 9.14 OZS				2.03	88.99		
S-LOOM/404	37	33 5 X 7 - 22.5" / 9.14 OZS				2.01	83.91		
S-LOOM/405	37	33 5 X 7 - 22.5" / 9.14 OZS				2.01	83.91		
S-LOOM/406	37	33 5 X 7 - 22.5" / 9.14 OZS				2.03	88.99		
S-LOOM/407	37	33 5 X 7 - 22.5" / 9.14 OZS				1.11	68.65		
S-LOOM/408	37	33 5 X 7 - 22.5" / 9.14 OZS				1.13	73.74		
S-LOOM/409	37	33 5 X 7 - 22.5" / 9.14 OZS				1.1	66.11		
S-LOOM/410	37	33 5 X 7 - 22.5" / 9.14 OZS				1.12	71.20		
S-LOOM/411	37	33 5 X 7 - 22.5" / 9.14 OZS				2.03	88.99		
S-LOOM/412	37	33 5 X 7 - 22.5" / 9.14 OZS				2.01	83.91		
S-LOOM/413	37	33 5 X 7 - 22.5" / 9.14 OZS				2	81.37		
S-LOOM/414	37	33 5 X 7 - 22.5" / 9.14 OZS				1.15	78.82		
S-LOOM/415	37	33 5 X 7 - 22.5" / 9.14 OZS				1.14	76.28		
S-LOOM/418	37	33 5 X 7 - 22.5" / 9.14 OZS				1.13	73.74		
S-LOOM/423	37	33 5 X 7 - 22.5" / 9.14 OZS				1.13	73.74		
S-LOOM/426	37	33 5 X 7 - 22.5" / 9.14 OZS				2.01	83.91		
10 Line Total:						18		35.19	79.53
11			S-LOOM/224	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28		
			S-LOOM/235	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28		
			S-LOOM/449	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65		
			S-LOOM/450	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45		
			S-LOOM/457	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11		
			S-LOOM/458	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45		
			S-LOOM/459	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74		
			S-LOOM/460	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91		
			S-LOOM/461	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45		
			S-LOOM/462	37	33 5 X 7 - 22.5" / 9.14 OZS	.11	74.59		
			S-LOOM/469	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91		
			S-LOOM/471	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20		
			S-LOOM/474	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82		
			11 Line Total:			13		23.75	77.91

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 25-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

Sect	Shift	Line	Mac No	Reed Sp	Quality	Prodn	Eff Lb No.
33	B	4	S-LOOM/100	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/105	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/106	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/107	37	33 5 X 7 - 22.5" / 9.14 OZS	1.09	63.57
			S-LOOM/126	37	33 5 X 7 - 22.5" / 9.14 OZS	.11	74.59
			S-LOOM/127	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/128	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/129	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/130	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/131	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/132	37	33 5 X 7 - 22.5" / 9.14 OZS	1.09	63.57
			S-LOOM/133	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/134	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/135	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/154	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/155	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/156	37	33 5 X 7 - 22.5" / 9.14 OZS	1.06	55.94
			S-LOOM/157	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/158	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/159	37	33 5 X 7 - 22.5" / 9.14 OZS	1.09	63.57
			S-LOOM/160	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/161	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/162	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/179	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/180	37	33 5 X 7 - 22.5" / 9.14 OZS	1.07	58.48
			4 Line Total:	25		42.88	71.64
8			S-LOOM/181	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/182	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/183	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/184	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/185	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/186	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/196	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/197	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/198	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/199	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/200	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/201	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/202	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/203	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/204	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/205	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28
			S-LOOM/225	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/226	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/233	37	33 5 X 7 - 22.5" / 9.14 OZS	1.11	68.65
			S-LOOM/234	37	33 5 X 7 - 22.5" / 9.14 OZS	1.08	61.03
			S-LOOM/441	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/442	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/483	52	33 5 X 7 - 22.5" / 9.14 OZS	1.15	86.81
			8 Line Total:	23		42.75	75.97
9			S-LOOM/381	37	33 5 X 7 - 22.5" / 9.14 OZS	1.14	76.28

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: GONDALPARA JUTE MILL

Sacking Cuts Production Entry Report

Production on 25-APR-24 of Dept: Sacking Weaving

Effi. From .01 To 1111.9

Sect	Shift	Line	Mac No	Reed Sp	Quality	Prodn	Eff Lb No.
33	B	9	S-LOOM/382	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/383	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/384	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/385	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/386	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/387	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/388	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/389	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/390	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/391	37	33 5 X 7 - 22.5" / 9.14 OZS	2.02	86.45
			S-LOOM/392	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/393	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/394	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/395	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/396	37	33 5 X 7 - 22.5" / 9.14 OZS	2.03	88.99
			S-LOOM/397	37	33 5 X 7 - 22.5" / 9.14 OZS	1.09	63.57
			S-LOOM/398	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/399	37	33 5 X 7 - 22.5" / 9.14 OZS	.14	35.60
			S-LOOM/400	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/435	37	33 5 X 7 - 22.5" / 9.14 OZS	2.04	91.54
			S-LOOM/436	37	33 5 X 7 - 22.5" / 9.14 OZS	1.12	71.20
			S-LOOM/443	37	33 5 X 7 - 22.5" / 9.14 OZS	2.01	83.91
			S-LOOM/444	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			S-LOOM/445	37	33 5 X 7 - 22.5" / 9.14 OZS	1.1	66.11
			S-LOOM/446	37	33 5 X 7 - 22.5" / 9.14 OZS	1.13	73.74
			S-LOOM/447	37	33 5 X 7 - 22.5" / 9.14 OZS	2	81.37
			S-LOOM/448	37	33 5 X 7 - 22.5" / 9.14 OZS	1.15	78.82
			9 Line Total:	28		52.81	76.74
			B Shift Total:	133		248	76.21
33			Section Total:	270		504.94	76.32