

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24
BROAD LOOM

28-APR-24 10:39 AM

Page 1 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50
			587.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G083	5	7	22.4	GOV.B.TWILL	36"	130	121	9338	1129898	259	292644	1495858.4	75.5	31662.33	4042	73.94
				sacking (6) -->				9338	1129898		292644	1495858.4	75.5	31662.33	4042	9.24
				Grand Total :				9338	1129898		292644	1495858.4	75.5	31662.33	4042	9.24

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24
HESSIAN WVG.

28-APR-24 10:39 AM

Page 2 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	0.00	- 0.00	0.00 400

Qlty Code	Quality		Specifications		R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour	
	Port	Shot	Width	Description													
1397	8	7	72	hess cloth	76"	170	162	71	11484	306	3514	27161.9	42.3	920.00	115	30.56	
1435	8	8	40	HESS CLOTH	46"	165	156	256	39751	184	7314	61856.7	64.3	1928.00	241	30.35	
1440	8	8	48	HESS CLOTH	67"	170	155	25	3875	221	856	6428.3	60.3	232.00	29	29.52	
1450	8	8	32	HESS CLOTH	46"	165	156	22	3425	147	503	4363.3	78.5	136.00	17	29.59	
1459	8	8	48	HESS CL	67"	165	155	10	1545	221	341	2660.0	58.1	96.00	12	28.42	
1931	9	7	45	HESS CLOTH	52"	165	155	83	12865	207	2663	26781.0	48	760.00	95	28.03	
	9	7	45	HESS CLOTH	56"	165	155	20	3100	207	642	6034.3	51.4	176.00	22	29.18	
	9	7	45	HESS CLOTH	58"	165	155	94	14570	207	3016	28129.5	51.8	832.00	104	29.00	
	Quality Total -->								197	30535		6321	60944.8	50.1	1768.00	221	3.58
1932	9	7	48	HESS CLOTH	58"	165	156	74	11486	221	2538	23531.4	48.8	696.00	87	29.17	
	9	7	48	HESS CLOTH	67"	165	155	7	1085	221	240	2026.7	53.5	64.00	8	30.00	
	Quality Total -->								81	12571		2778	25558.1	49.2	760.00	95	3.66
1934	9	7	40	HESS CLOTH	46"	165	156	4	624	184	115	1173.3	53.2	32.00	4	28.75	
1936	9	7	60	hess cloth	67"	165	156	77	11997	276	3311	28626.7	41.9	904.00	113	29.30	
	9	7	60	hess cloth	76"	165	156	29	4506	276	1244	10156.2	44.4	344.00	43	28.93	
	Quality Total -->								106	16503		4555	38782.9	42.6	1248.00	156	3.65
1948	9	7	44	HESS CLOTH	52"	165	157	1100	170538	203	34619	323062.8	52.8	9168.00	1146	30.21	
	9	7	44	HESS CLOTH	56"	165	157	284	44259	203	8985	87497.1	50.6	2552.00	319	28.17	
	9	7	44	HESS CLOTH	58"	165	156	16	2484	203	504	5139.1	48.3	152.00	19	26.53	
	Quality Total -->								1400	217281		44108	415699.0	52.3	11872.00	1484	3.72
1952	9	7	30	HESSIAN CL	46"	165	155	48	7397	138	1021	10853.3	68.2	296.00	37	27.59	
1992	9	8	44	HESS CLOTH	52"	165	155	285	44149	218	9624	84853.3	52	2752.00	344	27.98	
	9	8	44	HESS CLOTH	56"	165	156	107	16569	218	3612	30960.0	53.5	1032.00	129	28.00	
	Quality Total -->								392	60718		13236	115813.3	52.4	3784.00	473	3.50
1994	9	8	72	HESS CLOTH	76"	170	162	241	39008	357	13926	92380.0	42.2	3576.00	447	31.15	
2002	9	8	54	HESS CLOTH	58"	165	157	526	81864	268	21940	171346.7	47.8	5792.00	724	30.30	
2985	11	9	52	HESS CLOTH	58"	165	155	62	9552	299	2856	19354.1	49.4	736.00	92	31.04	
2987	11	9	54	HESS CLOTH	46"	165	155	2	310	311	96	684.4	45.3	24.00	3	32.00	
	11	9	54	HESS CLOTH	67"	165	155	36	5575	311	1734	10837.0	51.4	440.00	55	31.53	
	Quality Total -->								38	5885		1830	11521.4	51.1	464.00	58	3.94
2989	11	9	56	HESS CL.	67"	165	157	131	20390	322	6566	43545.2	46.8	1768.00	221	29.71	
2990	11	9	44	HESS CLOTH	52"	165	156	94	14490	253	3666	28065.2	51.6	1024.00	128	28.64	
2991	11	9	34	HESS CLOTH	46"	165	156	165	25617	196	5021	39697.8	64.5	1392.00	174	28.86	
3023	11	10	48	HESS CLOTH	58"	165	156	78	12074	289	3489	22530.7	53.6	952.00	119	29.32	
	11	10	48	HESS CLOTH	67"	165	154	22	3388	289	979	6029.3	56.2	272.00	34	28.79	
	Quality Total -->								100	15462		4468	28560.0	54.1	1224.00	153	3.65
3030	11	10	40	HESS CLOTH	46"	165	157	176	27121	241	6536	46200.0	58.7	1800.00	225	29.05	
3031	11	10	45	HESS CLOTH	52"	165	156	122	18892	271	5120	35322.7	53.5	1432.00	179	28.60	
	11	10	45	HESS CLOTH	58"	165	156	89	13809	271	3742	24992.0	55.3	1056.00	132	28.35	
	Quality Total -->								211	32701		8862	60314.7	54.2	2488.00	311	3.56
3110	11	11	36	HESS CLOTH	46"	165	157	11	1715	227	389	2613.3	65.6	112.00	14	27.79	

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24

HESSIAN WVG.

28-APR-24 10:39 AM

Page 3 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	0.00	- 0.00	0.00 400

Qlty Code	Quality	Port	Shot	Specifications	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
3131		11	11	72 HESSIAN CL	76"	175	162	176	28492	452	12878	67786.6	42	3608.00	451	28.55
3203		11	12	72 HESS CLOTH	76"	175	162	39	6318	510	3222	15017.8	42.1	872.00	109	29.56
3227		11	12	33 HESS CLOTH	46"	165	156	498	77079	234	18036	105746.6	72.9	4944.00	618	29.18
3234		11	12	44 HESS CLOTH	52"	165	157	735	114170	354	40416	218875.6	52.2	10648.00	1331	30.37
3367		11	12	50 HESS CLOTH	58"	165	154	39	5981	354	2117	11675.6	51.2	592.00	74	28.61
3515		11	12	46 D.W.CLOTH	52"	130	125	112	13909	524	7288	29928.9	46.5	1456.00	182	40.04
3516		11	12	46 HESSIAN CL	58"	165	158	557	86709	326	28267	163931.1	52.9	8312.00	1039	27.21
5133		9	9	58 HESS CLOTH	67"	165	154	69	10626	308	3273	21674.1	49	880.00	110	29.75
5802		8	6	39 HESS CL	46"	165	156	574	88976	152	13524	162213.3	54.9	3792.00	474	28.53
		8	6	39 HESS CL	52"	165	156	87	13478	152	2049	23351.2	57.7	568.00	71	28.86
				Quality Total -->				661	102454	15573	185564.5	55.2	4360.00	545	3.57	
5803		8	6	54 HESS CL	67"	165	157	7	1099	210	231	2364.4	46.5	64.00	8	28.88
				hessian (1) -->				7260	1126351	292023	2137458.5	52.7	79184.00	9898	3.69	
Qlty Code	Quality	Port	Shot	Specifications	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
0483		5	6.5	42 BAILING CL	52"	130	120	302	36240	510	18482	48270.8	75.1	1272.00	159	116.24
0484		5	6.5	40 BAILING CL	52"	130	120	109	13080	486	6357	17304.6	75.6	456.00	57	111.53
				-->				411	49320	24839	65575.4	75.2	1728.00	216	14.37	
				Grand Total :				7671	1175671	316862	2203033.9	53.4	80912.00	10114	3.92	

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24

MODERN LOOM

28-APR-24 10:39 AM

Page 4 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50 587.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
1948	9	7	44	HESS CLOTH	300"	165	156	1699	263569	203	53505	229779.0	114.7	6893.35	880	62.09
3150	11	11	54	HESS CLOTH	360"	165	159	304	47149	357	16832	50512.0	93.3	2381.32	304	56.55
4350	13	13	53	HESS CLOTH	300"	165	162	54	8418	344	2896	8015.0	105	446.50	57	51.89
4351	13	13	50	HESS CLOTH	300"	165	156	819	127075	325	41299	111074.0	114.4	6188.33	790	53.39
	13	13	50	HESS CLOTH	360"	165	156	320	49658	325	16139	43301.0	114.7	2412.67	308	53.51
Quality Total -->								1139	176733		57438	154375.0	114.5	8601.00	1098	6.68
hessian (1) -->								3196	495869		130671	442681.0	112	18322.17	2339	7.13
Grand Total :								3196	495869		130671	442681.0	112	18322.17	2339	7.13

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24
S4 IJMD

28-APR-24 10:39 AM

Page 5 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	232.00	- 0.00	232.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50
			619.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	8825	1491425	259	386279	1798677.1	82.9	28554.02	3642	108.22
				sacking (6) -->				8825	1491425		386279	1798677.1	82.9	28554.02	3642	13.53
				Grand Total :				8825	1491425		386279	1798677.1	82.9	28554.02	3642	13.53

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24
S4 NEW SHED

28-APR-24 10:39 AM

Page 6 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	232.00	- 0.00	232.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50
			619.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	8883	1501227	259	388818	1779254.5	84.4	28245.69	3603	110.12
				sacking (6) -->				8883	1501227		388818	1779254.5	84.4	28245.69	3603	13.77
				Grand Total :				8883	1501227		388818	1779254.5	84.4	28245.69	3603	13.77

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24
S4LOOM

28-APR-24 10:39 AM

Page 7 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	232.00	- 0.00	232.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50
			619.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	14982	2531958	259	655777	3076063.0	82.3	48832.56	6230	107.43
				sacking (6) -->				14982	2531958		655777	3076063.0	82.3	48832.56	6230	13.43
				Grand Total :				14982	2531958		655777	3076063.0	82.3	48832.56	6230	13.43

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24
S4LOOM TRAINEE

28-APR-24 10:39 AM

Page 8 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	232.00	- 0.00	232.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50
			619.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	2077	351013	259	90912	436556.4	80.4	6930.25	884	104.95
				sacking (6) -->				2077	351013		90912	436556.4	80.4	6930.25	884	13.12
				Grand Total :				2077	351013		90912	436556.4	80.4	6930.25	884	13.12

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24
SACKING WVG.

28-APR-24 10:39 AM

Page 9 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	200.00	- 0.00	200.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50 587.5

Qlty Code	Quality	Port	Shot	Specifications	Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G050		5	6.5	36	BAILING		46"	130	120	151	18120	437	7918	24126.6	75.1	611.03	78	103.67
G067		5	6.5	40	S.BALING C		46"	130	120	305	36600	486	17788	47944.0	76.3	1214.14	155	117.21
					hessian (1) -->					456	54720		25706	72070.6	75.9	1825.17	233	14.08
G083		5	7	22.4	GOV.B.TWILL		32"	130	126	4	504	259	131	626.7	80.4	15.67	2	66.88
		5	7	22.4	GOV.B.TWILL		36"	130	126	15386	1938636	259	502107	2639378.3	73.5	67593.84	8629	59.43
					Quality Total -->					15390	1939140		502238	2640005.0	73.5	67609.51	8631	7.43
G368		8	8	27	SKG.CL		36"	110	100	5	500	449	225	802.9	62.3	23.50	3	76.60
G386		8	8	23	SKG SUGAR BAG		32"	130	124	7626	945624	298	281796	1151225.8	82.1	32892.16	4199	68.54
		8	8	23	SKG SUGAR BAG		36"	130	124	7274	901976	298	268789	1071626.1	84.2	31364.66	4004	68.56
					Quality Total -->					14900	1847600		550585	2222851.9	83.1	64256.82	8203	8.57
G388		8	8	27	WOOL PACK		36"	110	100	709	70900	471	33394	125255.0	56.6	3666.00	468	72.87
G443		8	9	26.5	L.TWILL		36"	130	124	3363	413699	432	178718	527427.0	78.4	17366.50	2217	82.33
					sacking (6) -->					34367	4271839		1265160	5516341.8	77.4	152922.33	19522	8.27
					Grand Total :					34823	4326559		1290866	5588412.4	77.4	154747.50	19755	8.34

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 01-FEB-24 to 29-FEB-24

SRIRAM S4LOOM

28-APR-24 10:39 AM

Page 10 of 10

Wastage : 0.0

Shift	T/Hrs	L/Hrs	W/Hrs
A	232.00	- 0.00	232.00
B	200.00	- 0.00	200.00
C	187.50	- 0.00	187.50
			619.5

Qlty Code	Quality Port	Shot	Specifications Width	Description	R.S.	Laid Lngth	Fin. Lngth	No of Cuts	Total Yds/mtr	Gms/ Yds	Wt in Kg	Total Yds/mtr	Eff%	Total Loom Hour	No of Looms	Kg/ Loom/Hour
G086	5	7	22.4	GOV.B.TWILL	36"	180	169	8643	1460667	259	378313	1750383.2	83.4	27787.36	3545	108.92
				sacking (6) -->				8643	1460667		378313	1750383.2	83.4	27787.36	3545	13.61
				Grand Total :				8643	1460667		378313	1750383.2	83.4	27787.36	3545	13.61

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager