

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 02-APR-24

BROAD LOOM

Print Date : 03-MAY-24 04:51 PM

HJM/FS/B&W/09

Page 1 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 130 | 121 | 359 | | 43439 | 259 | 11250.70 | 10908.75 | 72.5 | 72.3 | 59952.76 | 162 | 208.35 |
| | | | | sacking (6) --> | | | | | 359 | | 43439 | | 11250.70 | 10908.75 | 72.5 | 72.3 | 59952.76 | 162 | 208.35 |
| | | | | Grand Total : | | | | | 359 | | 43439 | | 11250.70 | 10908.75 | 72.5 | 72.3 | 59952.76 | 162 | 208.35 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 0.00 | - 0.00 | 0.00 |

16.00

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|---------------------------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| 1435 | 8 | 8 | 40.0 | HESS CLOTH | | 46" | 165 | 153 | 7 | | 1071 | 184 | 197.06 | 192.68 | 69.5 | 67.9 | 1540.00 | 6 | 65.69 |
| 1948 | 9 | 7 | 44.0 | HESS CLOTH | | 52" | 165 | 155 | 125 | | 19375 | 203 | 3933.13 | 5214.49 | 51.3 | 53.8 | 37775.24 | 134 | 58.70 |
| 1948 | 9 | 7 | 44.0 | HESS CLOTH | | 56" | 165 | 155 | 4 | | 620 | 203 | 125.86 | 151.45 | 56.5 | 53.8 | 1097.14 | 4 | 62.93 |
| 1994 | 9 | 8 | 72.0 | HESS CLOTH | | 76" | 170 | 160 | 3 | | 480 | 357 | 171.36 | 301.02 | 38.7 | 39.7 | 1240.00 | 6 | 57.12 |
| 2002 | 9 | 8 | 54.0 | HESS CLOTH | | 58" | 165 | 154 | 20 | | 3080 | 268 | 825.44 | 1164.51 | 48.2 | 48.3 | 6390.00 | 27 | 61.14 |
| 2002 | 9 | 8 | 54.0 | HESS CLOTH | | 67" | 165 | 154 | 3 | | 462 | 268 | 123.82 | 161.59 | 52.1 | 48.3 | 886.67 | 4 | 61.91 |
| 2318 | 9 | 9 | 53.0 | HESS CLOTH | | 58" | 165 | 156 | 3 | | 468 | 282 | 131.98 | 201.70 | 44.5 | 50.1 | 1051.85 | 5 | 52.79 |
| 2985 | 11 | 9 | 52.0 | HESS CLOTH | | 58" | 165 | 157 | 4 | | 628 | 299 | 187.77 | 256.63 | 49.8 | 49.3 | 1262.22 | 6 | 62.59 |
| 2987 | 11 | 9 | 54.0 | HESS CLOTH | | 58" | 165 | 153 | 5 | | 765 | 311 | 237.92 | 355.91 | 45.5 | 48.2 | 1682.96 | 8 | 59.48 |
| 2987 | 11 | 9 | 54.0 | HESS CLOTH | | 67" | 165 | 154 | 4 | | 616 | 311 | 191.58 | 250.02 | 52.1 | 48.2 | 1182.22 | 6 | 63.86 |
| 2989 | 11 | 9 | 56.0 | HESS CL. | | 67" | 165 | 153 | 4 | | 612 | 322 | 197.06 | 258.86 | 51.8 | 49.2 | 1182.22 | 6 | 65.69 |
| 2990 | 11 | 9 | 44.0 | HESS CLOTH | | 58" | 165 | 157 | 7 | | 1099 | 253 | 278.05 | 361.92 | 52.2 | 54.1 | 2103.70 | 10 | 55.61 |
| 3131 | 11 | 11 | 72.0 | HESSIAN CL | | 76" | 175 | 160 | 14 | | 2240 | 452 | 1012.48 | 1616.90 | 42.6 | 42.6 | 5260.61 | 35 | 57.86 |
| 3227 | 11 | 12 | 33.0 | HESS CLOTH | | 46" | 165 | 151 | 13 | | 1963 | 234 | 459.34 | 435.64 | 71.7 | 71.9 | 2737.78 | 16 | 57.42 |
| 3234 | 11 | 12 | 44.0 | HESS CLOTH | | 52" | 165 | 150 | 10 | | 1500 | 354 | 531.00 | 752.12 | 48.0 | 48.4 | 3124.44 | 19 | 55.89 |
| 3367 | 11 | 12 | 50.0 | HESS CLOTH | | 58" | 165 | 154 | 22 | | 3388 | 354 | 1199.35 | 1557.19 | 52.4 | 51.7 | 6468.89 | 41 | 58.50 |
| 5133 | 9 | 9 | 58.0 | HESS CLOTH | | 67" | 165 | 154 | 5 | | 770 | 308 | 237.16 | 330.14 | 48.8 | 48.8 | 1576.30 | 8 | 59.29 |
| 5805 | 8 | 6 | 72.0 | HESS CLOTH | | 76" | 170 | 160 | 9 | | 1440 | 281 | 404.64 | 737.14 | 37.3 | 36.5 | 3857.78 | 14 | 57.81 |
| 5806 | 8 | 6 | 35.0 | HESS ROLL | | 46" | 1150 | 1100 | 2 | | 2200 | 136 | 299.20 | 316.49 | 64.3 | 64.3 | 3422.22 | 10 | 59.84 |
| | | | | hessian (1) --> | | | | | 264 | | 42777 | | 10744.20 | 14616.40 | 51.0 | 51.3 | 83842.24 | 365 | 58.87 |
| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
| 0483 | 5 | 6.5 | 42.0 | BAILING CL | | 52" | 130 | 120 | 12 | | 1440 | 510 | 734.40 | 631.71 | 79.1 | 76.3 | 1821.54 | 6 | 244.80 |
| | | | | sacking on hessian loom (2) --> | | | | | 12 | | 1440 | | 734.40 | 631.71 | 79.1 | 76.3 | 1821.54 | 6 | 244.80 |
| | | | | Grand Total : | | | | | 276 | | 44217 | | 11478.60 | 15248.11 | 51.6 | 52.6 | 85663.78 | 371 | 61.88 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 350 | | 59150 | 259 | 15319.85 | 22546.71 | 83.8 | 83.8 | 70561.68 | 143 | 321.40 |
| | | | | sacking (6) --> | | | | | 350 | | 59150 | | 15319.85 | 22546.71 | 83.8 | 83.8 | 70561.68 | 143 | 321.40 |
| | | | | Grand Total : | | | | | 350 | | 59150 | | 15319.85 | 22546.71 | 83.8 | 83.8 | 70561.68 | 143 | 321.40 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 02-APR-24

S4 NEW SHED

Print Date : 03-MAY-24 04:51 PM

HJM/FS/B&W/09

Page 5 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 352 | | 59488 | 259 | 15407.39 | 22704.38 | 83.7 | 83.7 | 71055.12 | 144 | 320.99 |
| | | | | sacking (6) --> | | | | | 352 | | 59488 | | 15407.39 | 22704.38 | 83.7 | 83.7 | 71055.12 | 144 | 320.99 |
| | | | | Grand Total : | | | | | 352 | | 59488 | | 15407.39 | 22704.38 | 83.7 | 83.7 | 71055.12 | 144 | 320.99 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 02-APR-24

S4LOOM

Print Date : 03-MAY-24 04:51 PM

HJM/FS/B&W/09

Page 6 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 489 | | 82641 | 259 | 21404.02 | 32322.22 | 81.7 | 81.7 | 101154.86 | 205 | 313.23 |
| | | | | sacking (6) --> | | | | | 489 | | 82641 | | 21404.02 | 32322.22 | 81.7 | 81.7 | 101154.86 | 205 | 313.23 |
| | | | | Grand Total : | | | | | 489 | | 82641 | | 21404.02 | 32322.22 | 81.7 | 81.7 | 101154.86 | 205 | 313.23 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|---------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 60 | | 10140 | 259 | 2626.26 | 3941.74 | 82.2 | 81.1 | 12335.96 | 25 | 315.15 |
| | | | | sacking (6) --> | | | | | 60 | | 10140 | | 2626.26 | 3941.74 | 82.2 | 81.1 | 12335.96 | 25 | 315.15 |
| | | | | Grand Total : | | | | | 60 | | 10140 | | 2626.26 | 3941.74 | 82.2 | 81.1 | 12335.96 | 25 | 315.15 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

MURLIDHAR RATANLAL EXPORTS LIMITED

UNIT: HASTINGS JUTE MILL

Qualitywise Efficiency Report For 02-APR-24

SACKING WVG.

Print Date : 03-MAY-24 04:51 PM

HJM/FS/B&W/09

Page 8 of 9
Wastage : 0.00

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 0.00 | - 0.00 | 0.00 |
| | | | 16.00 |

| Qlty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|-----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G067 | 5 | 6.5 | 40.0 | S.BALING C | | 46" | 130 | 120 | 10 | | 1200 | 486 | 583.20 | 652.49 | 76.0 | 76.0 | 1579.49 | 5 | 233.28 |
| | | | | hessian (1) --> | | | | | 10 | | 1200 | | 583.20 | 652.49 | 76.0 | 76.0 | 1579.49 | 5 | 233.28 |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 130 | 126 | 478 | | 60228 | 259 | 15599.05 | 16917.58 | 78.4 | 77.9 | 76845.71 | 246 | 126.82 |
| G083 | 5 | 7 | 22.4 | GOV.B.TWILL | | 32" | 130 | 126 | 190 | | 23940 | 259 | 6200.46 | 6763.01 | 77.9 | 77.9 | 30720.00 | 96 | 129.18 |
| G443 | 8 | 9 | 26.5 | L.TWILL | | 36" | 130 | 123 | 232 | | 28536 | 432 | 12327.55 | 13025.54 | 80.4 | 80.2 | 35472.59 | 146 | 168.87 |
| | | | | sacking (6) --> | | | | | 900 | | 112704 | | 34127.06 | 36706.13 | 78.8 | 78.7 | 143038.30 | 488 | 139.87 |
| | | | | Grand Total : | | | | | 910 | | 113904 | | 34710.26 | 37358.62 | 78.8 | 78.0 | 144617.79 | 493 | 140.81 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager

| Shift | T/Hrs | L/Hrs | W/Hrs |
|-------|-------|--------|-------|
| A | 8.00 | - 0.00 | 8.00 |
| B | 8.00 | - 0.00 | 8.00 |
| C | 7.50 | - 0.00 | 7.50 |
| | | | 23.50 |

| Qty Code | Quality Specifications | | | | Loom Type | Reed Spac | Laid Length | Fin. Length | No of Cuts | NOC | Tot(act) Yards | Gms/ Yrds | Weight | Target Prods(Wt) | Effi% | Cumm. Effi% | Theoretical Yrds | No of Loom | Kgms/ Loom/Day |
|----------|------------------------|-------|-------|-----------------|-----------|-----------|-------------|-------------|------------|-----|----------------|-----------|----------|------------------|-------|-------------|------------------|------------|----------------|
| | Porter | Sorts | Width | Description | | | | | | | | | | | | | | | |
| G086 | 5 | 7 | 22.4 | GOV.B.TWILL | | 36" | 180 | 169 | 350 | | 59150 | 259 | 15319.85 | 22231.38 | 85.0 | 85.0 | 69574.80 | 141 | 325.95 |
| | | | | sacking (6) --> | | | | | 350 | | 59150 | | 15319.85 | 22231.38 | 85.0 | 85.0 | 69574.80 | 141 | 325.95 |
| | | | | Grand Total : | | | | | 350 | | 59150 | | 15319.85 | 22231.38 | 85.0 | 85.0 | 69574.80 | 141 | 325.95 |

Overseer

Weaving I/C

Asst. Manager.(Fact.)

M.Manager

P.Manager

C.M. Manager

Dy.G.M

G.Manager